



PRODUCT CONFORMITY COMMITMENT

1 - MANUFACTURER

Company : SLYCMA

Address : 235 rue du Général de Gaulle
69530 BRIGNAIS

Email : slycma@slycma.com

SIRET number : 972 509 210 00076

APE Code: 2822 Z

Telephone : + 33 0478 868 100

2 - CONCERNED PRODUCT RANGE

Type : **AUTOMATIC LANDING DOOR**

Trade name : **GAIA GLAZED FIRE-RESISTANT**

Number of panels : **2, 3, 4**

Opening : **Lateral and central**

Dimensions : **2 panels side opening from 600 to 1000 mm - CH maxi 2400 -**

CO > 1000 & <or = 1100 - CH maxi 2000

2 panels central opening from 600 to 1000 mm - CH maxi 2400 -

CO > 1000 & <or = 1100 - CH maxi 2000

1. Tests, trials and compliance analysis (NF EN 81- 20 / 50)	Compliant
2. Compliance with the requirements of Directive 2014/33/UE : Universal locking	Compliant
3. Fire resistance tests (NF EN 81-58 - Version May 2004) following range report number 14-A-062 and addendum N° 16/2	E30 - EW 30
4. PILKINGTON Pyrodur 30-200 glass - thickness 14mm	Compliant
5. Installation in existing buildings (NF EN 81-21)	Compliant
6. Compliance with accessibility requirements (NF EN 81-70)	Compliant

3 - SIGNATURE

First and last name : **Salvador JARA**

Function : **General Manager**

Signature :